

Revision Date: 04/03/2017

SCS1009 12C-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) ALUM

SAFETY DATA SHEET

1. Identification

Product identifier: SCS1009 12C-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) ALUM

Other means of identification

Synonyms: SILICONE SEALANT

Recommended use and restriction on use

Recommended use: Industrial use Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Supplier's information : Hexion Canada Inc.

12621 156th Street NW Edmonton AB T5V 1E1

Canada

Manufacturer/Importer/Distr :

ibutor Information

Momentive Performance Materials LLC

260 Hudson River Road Waterford NY 12188

Contact person : commercial.services@momentive.com

Telephone : General information +1-800-295-2392

Emergency telephone

number

Supplier : CHEMTREC

1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Health Hazards

Skin Corrosion/Irritation Category 2
Toxic to reproduction Category 2

Label Elements

Hazard Symbol:



Signal Word: Warning

Hazard Statement: H315; Causes skin irritation.

H361; Suspected of damaging fertility or the unborn child.

Precautionary

SDS_CA 1/14



Revision Date: 04/03/2017

SCS1009 12C-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) ALUM

Statements

Prevention: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

protection.

Response: IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical

advice/attention. Specific treatment (see this label). Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention.

Storage: Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Unknown toxicity - Health

Acute toxicity, oral	0.035 %
Acute toxicity, dermal	0.035 %
Acute toxicity, inhalation, vapor	0.035 %
Acute toxicity, inhalation, dust or mist	0.035 %

Other hazards which do not result in GHS

classification:

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Methyltriacetoxysilane	4253-34-3	2.9377%
Octamethylcyclotetrasiloxane	556-67-2	1.5269%
ALUMINIUM POWDER (PYROPHORIC)	7429-90-5	0.5825%
White Mineral oil	8042-47-5	0.5825%
Acetic acid	64-19-7	0.2245%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: No action shall be taken involving any personal risk or without suitable

training.

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water.

SDS_CA 2/14



Revision Date: 04/03/2017

SCS1009 12C-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) ALUM

Inhalation: If inhaled, remove to fresh air. If not breathing give artificial respiration

using a barrier device. If breathing is difficult give oxygen. Get medical

attention.

Skin Contact: To clean from skin, remove completely with a dry cloth or paper towel,

before washing with detergent and water. If skin irritation occurs: Get

medical advice/attention.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Treatment is symptomatic and supportive.

5. Fire-fighting measures

General Fire Hazards: Use standard firefighting procedures and consider the hazards of other

involved materials.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

No data available.

Specific hazards arising from

the chemical:

Pay attention to the corrosive effects arising from contact with water.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Use water spray to keep fire-exposed containers cool.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Use only in well-ventilated areas. Avoid contact with skin and eyes. Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the finger and hands. Keep out of reach of

children.

SDS_CA 3/14



Revision Date: 04/03/2017

SCS1009 12C-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) ALUM

Methods and material for containment and cleaning

up:

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the

protective equipment section.

Notification Procedures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in

immediate area). See Section 8 of the SDS for Personal Protective

Equipment.

Environmental Precautions: Do not allow runoff to sewer, waterway or ground.

7. Handling and storage

Precautions for safe handling: Sensitivity to static discharge is not expected. Good personal hygiene is

necessary. Wash hands and contaminated areas with water and soap

before leaving the work site.

Conditions for safe storage,

including any incompatibilities:

Keep away from heat, sparks and open flame.

Storage conditions: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
-------------------	------	-----------------------	--------

SDS_CA 4/14



Revision Date: 04/03/2017

SCS1009 12C-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) ALUM

ALUMINIUM POWDER	TWA	ORS SEALANT-Crtrg (0.73 5 mg/m3	Canada. Alberta OELs (Occupational Health &
(PYROPHORIC) - Pyrophoric powder as Al			Safety Code, Schedule 1, Table 2) (07 2009)
ALUMINIUM POWDER (PYROPHORIC) - Dust.	TWA	10 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
ALUMINIUM POWDER (PYROPHORIC) - Respirable.	TWA	1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
ALUMINIUM POWDER (PYROPHORIC) - Respirable fraction.	TWA	1 mg/m3	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2015)
ALUMINIUM POWDER (PYROPHORIC) - Respirable fraction.	TWA	1 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
ALUMINIUM POWDER (PYROPHORIC) - Pyrophoric powder as Al	8 HR ACL	5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
ALUMINIUM POWDER (PYROPHORIC) - Dust as Al	8 HR ACL	10 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
ALUMINIUM POWDER (PYROPHORIC) - Pyrophoric powder as Al	15 MIN ACL	10 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
ALUMINIUM POWDER (PYROPHORIC) - Dust as Al	15 MIN ACL	20 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
ALUMINIUM POWDER (PYROPHORIC)	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
ALUMINIUM POWDER (PYROPHORIC) - Welding fume as Al	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
ALUMINIUM POWDER (PYROPHORIC) - as Al	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
ALUMINIUM POWDER (PYROPHORIC) - Respirable fraction.	TWA	1 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
White Mineral oil - Mist.	TWA	5 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
	STEL	10 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
White Mineral oil - Mist.	TWA	1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
White Mineral oil - Inhalable fraction.	TWA	5 mg/m3	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2015)
White Mineral oil - Mist.	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	STEL	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
White Mineral oil	8 HR ACL	5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	10 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
White Mineral oil - Mist.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
	STEL	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
White Mineral oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
Acetic acid	STEL	15 ppm 37 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
	TWA	10 ppm 25 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)

SDS_CA 5/14



Revision Date: 04/03/2017

SCS100	9 12C-CONTRACTOR	RS SEALANT-Crtrg (0.73	0 Lbs-0.331 Kg) ALUM
Acetic acid	STEL	15 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
	TWA	10 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
Acetic acid	TWA	10 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2015)
	STEL	15 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2015)
Acetic acid	STEL	15 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	TWA	10 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Acetic acid	8 HR ACL	10 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	15 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Acetic acid	TWA	10 ppm 25 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
	STEL	15 ppm 37 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (11 2011)
Acetic acid	TWA	10 ppm	US. ACGIH Threshold Limit Values (03 2015)
	STEL	15 ppm	US. ACGIH Threshold Limit Values (03 2015)

1000 100 CONTRACTORS SEALANT Crium (0.720 Lbs. 0.221 Ma) ALLIM

Appropriate Engineering Controls

Safety shower.

Individual protection measures, such as personal protective equipment

General information: Ventilation and other forms of engineering controls are preferred for

controlling exposures. Respiratory protection may be needed for non-

routine or emergency situations.

Eye/face protection: Monogoggles Face shield

Skin Protection

Hand Protection: No data available.

Skin protection: Wear suitable protective clothing and eye/face protection.

Respiratory Protection: If exposure limits are exceeded or respiratory irritation is experienced,

NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA

regulations (see 29CFR 1910.134).

Hygiene measures: Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation,

especially in confined areas. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

9. Physical and chemical properties

SDS_CA 6/14



Revision Date: 04/03/2017

SCS1009 12C-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) ALUM

Appearance

Physical state: solid
Form: solid
Color: Aluminum.
Odor: Acetic acid.

Odor threshold:

pH:

Melting point/freezing point:

Initial boiling point and boiling range:

Flash Point:

No data available.

not applicable

not applicable

> 93 °C (estimated)

Evaporation rate: < 1

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available. Flammability limit - lower (%): No data available. Explosive limit - upper (%): No data available. **Explosive limit - lower (%):** No data available. Vapor pressure: not applicable Vapor density: not applicable Density: ca. 1.04 g/cm3 Relative density: ca. 1.04

Solubility(ies)

Solubility in water: Insoluble
Solubility (other): Toluene

Partition coefficient (n-octanol/water): No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity, dynamic:No data available.Viscosity, kinematic:No data available.

10. Stability and reactivity

Reactivity: No dangerous reaction if used as recommended.

Chemical Stability: No data available.

Possibility of hazardous

reactions:

Hazardous polymerisation does not occur.

Conditions to avoid: None known.

Incompatible Materials: None known.

Hazardous Decomposition

Products:

Carbon dioxideFormaldehyde.Acetic acid.Silicon dioxide.This product contains methylpolysiloxanes which can generate formaldehyde at

approximately 300 degrees Fahrenheit (150'C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. A

MSDS for formaldehyde is available from Momentive.

SDS_CA 7/14



Revision Date: 04/03/2017

SCS1009 12C-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) ALUM

11. Toxicological information

Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product:

ATEmix: 5,747.88 mg/kg

Dermal

Product: No data available.

Specified substance(s):

Octamethylcyclotetra siloxane

Octamethylcyclotetra LD 50LD 50 (Rat): 2,400 mg/kg

Acetic acid LD 50LD 50 (Rabbit): 1,060 mg/kg

Inhalation

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox LC50 (Rat): 36 mg/l

ane

Acetic acid TDLo (Rat): 16 mg/l

SDS_CA 8/14



Revision Date: 04/03/2017

SCS1009 12C-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) ALUM

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: No data available.

Serious Eye Damage/Eye Irritation

Product: No data available.

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

ACGIH Carcinogen List:

No carcinogenic components identified

ACGIH Carcinogens:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox

ane

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

In vivo

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox ane

Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology:

Micronucleus Test)) Inhalation (Rat, male and female): negative

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

SDS_CA 9/14



Revision Date: 04/03/2017

SCS1009 12C-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) ALUM

Other effects:

Octamethylcyclotetrasiloxane (D4) Ingestion: Rodents given large doses via oral gavage of Octamethylcyclotetrasiloxane (1600mg/kg/day,14 days), developed increased liver weights relative to unexposed control animals due to hepatocellular hyperplasia (increased number of liver cells which appear normal) as well as hypertrophy (increased cell size). Inhalation: In inhalation studies, laboratory rodents exposed to Octamethylcyclotetrasiloxane (300 ppm five days/week, 90 days) developed increased liver weights in female animals relative to unexposed control animals. When the exposure was stopped, liver weights returned to normal. Microscopic examination of the liver cells did not show any evidence of pathology. This response in rats, which does not affect the animal's health, is well-documented and widely recognized. It is related to an increase of liver enzymes that metabolize and eliminate a material from the body. The increased liver weight reverses even while the D4 exposure continues. The finding is not adverse, but is considered a natural adaptive change in rats, and does not represent a hazard to humans. Inhalation studies utilizing laboratory rabbits and guinea pigs showed no effects on liver weights. Inhalation exposures typical of industrial usage (5-10 ppm) showed no toxic effects in rodents. Range finding reproductive studies were conducted (whole body inhalation, 70 days prior to mating, through mating, gestation and lactation), with D4. Rats were exposed to 70 and 700 ppm. In the 700 ppm group, there was a statistically significant reduction in mean litter size and in implantation sites. No D4 related clinical signs were observed in the pups and no exposure related pathological findings were found. A two-year, combined chronic/carcinogenicity study, during which rats were exposed to D4 by inhalation, data showed a statistically significant increase in a benign uterine tumor in female rats exposed at the highest level--a level much higher than the low levels that consumers or workers may encounter. An expert panel of independent scientists who have reviewed the results of this research concur that the finding seen in the two-year study occurred through a biological pathway that is specific to the rat and is not relevant to humans. Therefore, this observed effect does not indicate a potential health hazard to humans. In developmental toxicity studies, rats and rabbits were exposed to D4 at concentrations up to 700 ppm and 500 ppm, respectively. No teratogenic effects (birth defects) were observed in either study.

Other effects of overexposure:

Acetic acid released during curing.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Acetic acid LC50 (Lepomis macrochirus, 96 h): 75 mg/l

LC0 (Leuciscus idus): 368 mg/l LC100 (Leuciscus idus): 452 mg/l LC50 (Leuciscus idus, 48 h): 410 mg/l LC50 (Pimephales promelas, 96 h): 88 mg/l

SDS_CA 10/14



Revision Date: 04/03/2017

SCS1009 12C-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) ALUM

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Acetic acid LC0 (Daphnia magna): 150 mg/l

EC50 (Daphnia magna, 24 h): 95 mg/l

Chronic hazards to the aquatic environment:

Fish

No data available. **Product:**

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

ane

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasilox

3.7 % (29 d, 310 Ready Biodegradability - CO₂ in Sealed Vessels (Headspace Test)) Not readily biodegradable.

Acetic acid 60 % (5 d, No data available.)

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

Fathead Minnow, Bioconcentration Factor (BCF): 12.40 Octamethylcyclotetrasilox

ane

Partition Coefficient n-octanol / water (log Kow) Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Methyltriacetoxysilane No data available. Octamethylcyclotetrasiloxa No data available.

ne

ALUMINIUM POWDER No data available.

(PYROPHORIC)

White Mineral oil No data available. Acetic acid No data available.

SDS_CA 11/14



Revision Date: 04/03/2017

SCS1009 12C-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) ALUM

Other adverse effects: No data available.

13. Disposal considerations

General information: The generation of waste should be avoided or minimized wherever

possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

Disposal instructions: Disposal should be made in accordance with federal, state and local

regulations.

Contaminated Packaging: Dispose of as unused product.

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the national

and international regulations on the transport of dangerous goods.

15. Regulatory information

Canada Federal Regulations

List of Toxic Substances (CEPA, Schedule 1)

Chemical Identity

Octamethylcyclotetrasilox ane ALUMINIUM POWDER (PYROPHORIC)

Export Control List (CEPA 1999, Schedule 3)

Not Regulated

National Pollutant Release Inventory (NPRI)

Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements

NPRI PT5 White Mineral oil

Canada. Canadian Environmental Protection Act (CEPA). National Pollutant Release Inventory

(NPRI) (Parts 1-4)

NPRI Not Regulated

Greenhouse Gases

Not Regulated

Controlled Drugs and Substances Act

CA CDSI Not Regulated

CA CDSII Not Regulated

CA CDSIII Not Regulated

SDS_CA 12/14



Revision Date: 04/03/2017

SCS1009 12C-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) ALUM

CA CDSIV Not Regulated

CA CDSV Not Regulated

CA CDSVII Not Regulated

CA CDSVIII Not Regulated

Precursor Control Regulations

Chemical Identity

Acetic Anhydride

Inventory Status:

Australia AICS: y (positive listing) Remarks: None.

EU EINECS List: y (positive listing) Remarks: None.

Japan (ENCS) List: y (positive listing) Remarks: None.

China Inventory of Existing

Chemical Substances:

y (positive listing) Remarks: None.

Korea Existing Chemicals Inv.

(KECI):

y (positive listing)

Remarks: None.

Canada DSL Inventory List: q (quantity restricted) Remarks: None.

Canada NDSL Inventory: n (Negative listing) Remarks: None.

Philippines PICCS: y (positive listing) Remarks: None.

US TSCA Inventory: y (positive listing) Remarks: On TSCA Inventory

Taiwan. Taiwan inventory

(CSNN):

n (Negative listing)

Remarks: None.

16.Other information, including date of preparation or last revision

Issue Date: 04/03/2017

Revision Date: No data available.

Version #: 1.2

Further Information: No data available.

SDS_CA 13/14



Revision Date: 04/03/2017

SCS1009 12C-CONTRACTORS SEALANT-Crtrg (0.730 Lbs-0.331 Kg) ALUM

Disclaimer:

Notice to reader

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only.

They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,*, and TM indicate trademarks owned by or licensed to Momentive.

SDS_CA 14/14