

SAFETY DATA SHEET

Specialty Products, Inc.

1. PRODUCT AND COMPANY IDENTIFICATION		
Product Identifier:	LEWCO 1400Z, 1800Z, 2100Z & 2800Z	
Product Use Description:	Vermiculite coated fiberglass fabric for thermal insulation materials	
Manufacturer/Distributor:	Lewco Specialty Products, Inc.	
	6859 Renoir Avenue	
	Baton Rouge, LA 70806	
Telephone:	(800) 221-6414 TX & AR (800) 233-9755	
	(225) 924-3221 Fax (225) 927-2918	
Emergency Telephone:	Not available	

2. HAZARDS IDENTIFICATION

GHS hazard classification	
Health hazards:	Skin corrosion/irritation, 3
Physical hazards: Environmental: GHS lable elements Signal words:	Specific target organ toxicity - Single exposure, 3 Not classified Not classified Warning
Hazard statements:	C C
Hazard statements:	H316, Causes mild skin irritation H335, May cause respiratory irritation
Hazard pictograms/symbols:	
Precautionary statements	•
(Prevention):	P264, Washthoroughly after handling.
(Response):	 P280, Wear protective gloves/protective clothing/eye protection/face protection P302 + P352, IF ON SKIN-Wash with plenty of soap and water. P312, Call a POISON CENTER or doctor/physician if you feel unwell. P321, Specific treatment (see supplemental first aid on this label). P332+313, If skin irritation occurs-Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse. P370+378, In case of fire: Use dry chemical, dry sand, carbon dioxide or
	alcohol-resistant foam to extinguish.
(Storage):	Not applicable
(Disposal):	P501, Dispose of contents/container in accordance with local regulation.
Description of any hazards not otherwise classified:	Not applicable

Components	CAS number	% by weight	
Fiberglass Fabric	65997-17-3	90-95	
Vermiculite	110638-71-6	5-10	
Binders	Not available	< 2	
(See Section 8 for Exposure Limits)			
4. FIRST AID MEASU	-		
Inhalation:	Move individual to fresh air. Drink wa		
	remove fibers. Seek medical attention i		
Skin Contact:	Wash with mild soap and running water: use a washcloth to help remove		
	dust and fibers. To avoid further irritation do not rub or scratch irritated		
	areas. Rubbing or scratching may force	e fibers into the skin. Seek medica	
	attention if irritation persists.		
Eve Contact:	*	at least 15 minutes. Seek medica	
Eye Contact:	Flush eyes with flowing water for	at least 15 minutes. Seek medica	
-	Flush eyes with flowing water for attention if irritation persists.		
-	Flush eyes with flowing water for attention if irritation persists. Drink extra water to assist natural eli	imination. Seek medical attention	
-	Flush eyes with flowing water for attention if irritation persists.Drink extra water to assist natural eligastrointestinal irritation persists or	imination. Seek medical attention	
Ingestion:	Flush eyes with flowing water for attention if irritation persists.Drink extra water to assist natural eligastrointestinal irritation persists or vomiting, or abdominal pain occur.	imination. Seek medical attention other symptoms such as nause	
Ingestion: Most important	 Flush eyes with flowing water for attention if irritation persists. Drink extra water to assist natural eligastrointestinal irritation persists or vomiting, or abdominal pain occur. Irritation of dusts and fibers may response to the second s	imination. Seek medical attention other symptoms such as nauses esult in inflammation of the uppe	
Ingestion: Most important symptoms/effects-acute or	 Flush eyes with flowing water for attention if irritation persists. Drink extra water to assist natural eligastrointestinal irritation persists or vomiting, or abdominal pain occur. Irritation of dusts and fibers may reprise respiratory tract (mouth, nose and 	imination. Seek medical attention other symptoms such as nauses esult in inflammation of the uppe	
Ingestion: Most important symptoms/effects-acute or delayed:	 Flush eyes with flowing water for attention if irritation persists. Drink extra water to assist natural eligastrointestinal irritation persists or vomiting, or abdominal pain occur. Irritation of dusts and fibers may reprise respiratory tract (mouth, nose and mechanical irritation on skin. 	imination. Seek medical attention other symptoms such as nauses esult in inflammation of the upper throat), and itch and temporar	
Eye Contact: Ingestion: Most important symptoms/effects-acute or delayed: Immediate medical care and	 Flush eyes with flowing water for attention if irritation persists. Drink extra water to assist natural eligastrointestinal irritation persists or vomiting, or abdominal pain occur. Irritation of dusts and fibers may reprise respiratory tract (mouth, nose and 	imination. Seek medical attention other symptoms such as nauses esult in inflammation of the upper throat), and itch and temporar	

5. FIRE FIGHTING MEASURES

Suitable extinguishing equipment:	Foam, carbon dioxide (CO2), dry chemical
Specific hazards:	Thermal decomposition of neoprene coating may produce an irritating mixture of noxious/toxic smoke and fumes, carbon dioxide, carbon monoxide.
Special protective equipment or precautions for firefighters:	Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions and protective equipment:	Wear suitable protective clothing, gloves and eye/face protection.
Emergency procedures:	Evacuate personnel to safe areas. Provide sufficient ventilation.
Environmental precautions:	Textile glass products are ecologically harmless.
Cleanup procedures:	No need for special cleaning precautions or rules. Dispose of in accordance
	with appropriate laws and regulations.

7. HANDLING AND STORAGE

Handling:

Use adequate safety equipment (gloves, glasses, dust mask) in order to minimize the possible risk of contact with skin, mucous membrane and eyes

and decrease irritations and allergies. Keep in manufacturer bag and store in a dry place. Avoid direct sun light.

8. EXPOSURE CONTROL / PERSONAL PROTECTION **Exposure Limits** Component: Limit/set by Fibrous Glass OSHA: TWA, 15 mg/m3 (total nuisance dust) and 5 mg/m3 (respirable nuisance dust); NIOSH, REL/TWA-5 mg/m3 (total glass dust), and 3f/cc (respirable fibers). **Engineering controls** Ventilation: General dilution ventilation and/or local exhaust ventilation should be provided, as necessary to maintain exposures below TWA's limitation **Personal protective Equipment Respiratory Protection:** A properly fitted NIOSH/MHSA approved disposable dust respirator (TC-21C-132) should be used when: the level of dust in the air exceeds permissible exposure limits; or if irritation occurs. Use respiratory protection in accordance with your company's respiratory protection program and OSHA regulations under CFR Hand Protection: Wear gloves when handling this product, and wash thoroughly with soap and water after handling materials. Safety glasses, goggles or face shields should be worn whenever materials Eye Protection: are being handled. Wear loose fitting, long sleeved shirt and long pants if irritation is **Protective Clothing:** experienced.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state,	Solid, golden brown
color, etc.):	
Upper/lower flammability or	Not available
explosive limits:	
Odor:	Earthy odor
Vapor pressure:	Not available
Odor threshold:	Not available
Vapor density:	Not available
pH:	Not available
Relative density Specific	2.55
Gravity (H ₂ O=1):	
Melting point:	> 1,500 °F (fibrous glass)
Solubility(ies):	Not soluble in water
Initial boiling point and	Not available
boiling range:	
Flash point:	Not available
Evaporation rate:	Not available
Flammability (solid, gas):	Not available
Partition coefficient(n-	Not available
octanol/water):	
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Viscosity:	Not available

STABILITY AND REACTIVITY 10. Product is stable under normal conditions of use **Chemical Stability: Conditions to avoid:** Not available Materials to avoid: Strong acid, strong bases, strong oxidizing agents. Heat or reaction with strong alkali can release trace amounts of n-butyl amine. Hazardous decomposition If the material is heated, residual proprietary organic ingredients contained in this product may produce smoke and irritating fumes including carbon products: monoxide and carbon dioxide, SiO2. Contact with acids or bases releases flammable hydrogen gas. Not available **Possibility of hazardous** reactions/reactivity:

11. TOXICOLOGIC	AL INFORMATION
Likely routes of exposure:	Textile glass products do not contain hazardous or toxic ingredients
Chronic toxicity/effects from	Not available
short- and long-term exposure:	
Acute toxicity:	Not available
Carcinogens:	Textile glass products are not carcinogenic. They have a nominal filament
	diameter of 9µm. The smallest possible filament diameter is 6µm.
	According to the TRGS 905 (April 1996) fine fiber dust can be
	carcionogenic only if all following conditions are fulfilled: fiber
	length> 5μ m, diameter < 3μ m, ratio of length to diameter >3:1.

12. ECOLOGICAL INFORMATION

Textile glass fiber are made from mineral raw material and do not have essential organic substances. They are not biologically decomposable. Textile glass fiber is ecologically harmless.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method

Dispose in accordance with federal, state, and local regulations as a solid non-hazardous waste.

14. TRANSPORT INFORMATION

Textile glass fiber are not materials in sense of hazardous material. Therefore there are no special measures necessary for the transportation and labeling by land, sea or air. Transport in closed vehicles in original packaging to protect from humidity.

15. REGULATORY INFORMATION

U.S. Federal Regulations

Toxic Substances Control Act (TSCA): All components of this product are included on the TSCA inventory. EPA, RCRA 40 CFR, Part 261, 1990: Non-hazardous CERCLA: Not listed

SARA Title III: Exempt by definition

PA Right-to-Know: Less than reportable quantity

TSCA Inventory: Exempt per scetion 8(a), 710.2(f), and 704.5(a)

CA Proposition 65: Insignificant trace quantity

MA Right-to-Know: Less than reportable quantity

NJ Right-to-Know: Less than reportable quantity

16. OTHER INFORMATION

Prepared by: Peter Zhou Issue Date: 11/25/2015

Disclaimer:

Lewco Specialty Products, Inc. makes no warranty of any kind regarding the accuracy or completeness of the information contained herein. Users should independently determine the suitability and completeness of information from all sources for their particular purpose (s). While this data is presented in good faith and believed to be accurate, it should be considered only as a supplement to other information gathered by the user. It is the User's responsibility to assure the proper use and disposal of these materials as well as the safety and health of all personnel who may work with or otherwise come in contact with these materials.